

Accessories

100%

unexLED

Profilkönig

Mounting tape 3M double-sided



CI-592-512-000 1 roll = Length: 33m / Width: 12mm / thickness: 1.1mm
 CI-595-219-000 1 roll = Length: 33m / Width: 19mm / thickness: 1.1mm

Luminaire terminal WAGO



157-812-214	luminaire terminal WAGO 2P	0.08-4.0mm ²
157-812-314	luminaire terminal WAGO 3P	0.08-4.0mm ²
157-812-514	luminaire terminal WAGO 5P	0.08-4.0mm ²

SMD terminal strip



WA-SMD-1P-0401	SMD terminal strip 1P	0.2 – 0.75mm ²
WA-SMD-2P-0402	SMD terminal strip 2P	0.2 – 0.75mm ²

Screw terminal 3P, IP68



29634-000-00	L = 115, Ø = 26.5, M20	1.5 – 4.0mm ²
30285-000-00	Branch screw terminal 3-pole, IP68	

Connection terminal



3471-000-00	Connection terminal N-EZ-L, 16A	0.5 – 2.5mm ²
3471-000-40	Connection terminal N-EZ-L, 16A +/-	

Rope suspension Current feed integrated in suspension cable



290-001-00 Rope suspension set
 Length 2000mm, Ø 1.0mm
 incl. ceiling attachment

suitable for mounting profile Linea and H-profile (no additional power cable needed)

Aluminium profile samples



M-990-2 Sample bag aluminium profiles with covers

Distributor box IP67 / sealing compound



290-101-00

Distributor box IP67
L/W/H: 86/102/35mm

290-102-00

Distributor box IP67
L/W/H: 140/186/69mm

290-103-00

Sealing compound Magic Fluid 170ml

Silicone adhesive sealant 90ml



25958-120-07

Silicone adhesive sealant 90ml / transparent

Fixture cable Tdf



EM-119-016-109

Fixture cable Tdf, 3x1mm²,
2m white with type 12 connector

Connection cable



RI-111-909-99

Connection cable, black
with male/female connection
each 290-300mm

6-fold distributor



23294-101-99

6x distributor with 1 m cable,
white; 6-24V DC / max. 3A

Extension cable



OP-9907799

Extension cable 2000mm 12V / 24V,
white with male / female connection, max. 3A

Cable transparent for pendant light **NEW**



290-900-210

Cable transparent 2x 0.75mm²


Checklist Profile Configuration

Step 1 Select profile based on the application

Profile Type



Size



Cover



End caps



Länge in mm bestimmen

Step 2 Select LED strips



Output

4.0 W/m	7.2 W/m	9.6 W/m	14.4 W/m
19.2 W/m	20.1 W/m	24.0 W/m	40.0 W/m

CRI

CRI 80
CRI 90

Light colour

2200K	2500K	2700K	3000K
4000K	6500K	RGB	RGBW

Step 3 Select cable length / cable entry

Cable outlet

front side



from below



laterally



Determine cable length in mm

Determine positioning laterally in mm


Step 4 Select power supply unit (On/Off)



20W IP20	30W IP20	100W IP20
40W IP67	60W IP67	90W IP67
120W IP67	150W IP65	240W IP65

LLED Length x LED Power (Watt)
= Total watts for power supply unit

Step 5 Select Controller / Dimming



Gradable par découpage de phase

1-10V, Dali, button dimming

Remote control

RGB / RGBW remote control

Button module / Bluetooth dimming actor

Step 6 Select Accessories

Mounting brackets















about 2 mounting brackets per meter

Cable suspension



Current feed integrated in suspension cable

If required we are happy to advise you.

	Operating voltage		Swivelling
	Wattage Lights incl. power supply unit = System performance Lights excl. power supply unit = LED chip performance		Rotating
	Colour temperature in Kelvin		Pendulum length in mm
	Luminous flux		Ø Canopy in mm
	Length / width / height in mm		On / Off
	IP protection class		Dimmable
	incl. / excl. power supply unit		DIM PWM
	Protection class I		Phase cut dimmable
	Protection class II		Beam angles
	Suitable for mounting on e.g. wood or wood-based materials		Cutting unit in mm
	Glare evaluation The lower the UGR value, the lower is the glare		Colourfastness Code
	Life of the LED (see GTS, Section 5.5)		Colour rendering index
	Flickering		Gamut Area Index Saturation of colours by Gamut Area Index
	Forward voltage in volts (with LED chip)		Output voltage in Volt (with LED control gear)
	Emergency light		Max ceiling thickness
Series switching		Parallel connection	
			

Information

- Upon publication of this catalogue, all previously published prices lose their validity.
- We reserve the right for pricing, design and dimension changes and changes of the product range.
- Illustrations and specifications are non-binding with respect to colour, shape and design.
- The general terms and conditions of Unex Dakota AG apply. (www.unexled.com)

GENERAL TERMS AND CONDITIONS OF BUSINESS

AGBs) OF UNEX DAKOTA AG, 2016 Version

1 General matters

- 1.1 The legal relations between Unex Dakota AG and the orderer and/or purchaser (hereafter referred to as "Customer") are first of all based on written agreements entered into in an individual instance. If no such differing individual agreements have been entered into, then these General Terms and Conditions (AGBs) constitute the exclusive basis for all transactions entered into between Unex Dakota AG and the Customer. Differing business or purchase conditions of the Customer or third parties are therefore only valid if and to the extent that they have been expressly acknowledged by Unex Dakota AG in writing. A Customer's reference to its own terms and conditions of business is hereby expressly controverted by Unex Dakota AG. If the Customer disagrees with these rules, then it must promptly inform Unex Dakota AG in writing thereof. In the case of such a written objection thereto, Unex Dakota AG reserves the right to countermand its offers and deliveries without compensation therefor and without the Customer being able to derive claims of any kind whatsoever therefrom.
- 1.2 A contract is formed if Unex Dakota AG accepts the order of a Customer in writing, by fax, or electronically (order confirmation). Unex Dakota AG is free to reject orders without giving reasons therefor.
- 1.3 If one of the foregoing provisions should be or become invalid, the validity of the remaining contractual provisions remains unaffected thereby. Under such circumstances the meaning of the invalid provision is to be reinterpreted or supplemented so that the intended economic or legal purpose of the original provision is attained.
- 1.4 The current version of the AGBs replaces all previous ones.

2 Technical regulations

- 2.1 In the absence of an agreement to the contrary, Unex Dakota AG conforms to currently valid Swiss technical regulations.
- 2.2 The Customer is to ensure that it is in compliance with the relevant technical regulations at the place of use. If these differ from Swiss regulations, then at the time of placing its order the Customer is to request the necessary modifications in a detailed fashion and in writing.

3 Delivery conditions

- 3.1 In the absence of agreements to the contrary, delivery deadlines and dates are to be regarded as approximations. They are dependent on the availability of the products ordered at the plant of Unex Dakota AG in Zurich.
- 3.2 Delivery deadlines begin to run upon contract conclusion (Number 1.2) and as soon as any advance payments or securities have been undertaken, all technical issues have been cleared up, and any regulatory requirements have been met.
- 3.3 Delivery deadlines are extended as appropriate if the Customer does not meet or is late in meeting its duty of cooperation or payment or when delays occur due to force majeure, official measures, interruption of operations, defects in machinery, or because of delayed or incorrect supplies of raw materials, as well as semi-finished or finished articles.
- 3.4 If the Customer is behind in an advance payment or in a payment arising out of a prior delivery, then Unex Dakota AG is forthwith entitled to defer carrying out new orders or to hold them back in whole or in part until all past due payment obligations have been met.
- 3.5 If a certain delivery date is agreed upon, then Numbers 3.2 to 3.4 apply by analogy.
- 3.6 Late delivery does not entitle the Customer to a right to rescind or to any claims for a reduction of price or for damages (either direct or indirect). Any liability on the part of Unex Dakota AG or its auxiliary personnel is excluded to the extent statutorily permissible.
- 3.7 Unex Dakota AG is entitled to render partial deliveries. It is to bear any additional logistical costs incurred thereby unless these partial deliveries are undertaken due to the absence of cooperation or payments that are in arrears on the part of the Customer or are undertaken at the Customer's wish.
- 3.8 Benefits and risks pass to the Customer as soon as the delivery and/or partial delivery is made available for pick-up by the Customer and/or its carrier at the Unex Dakota AG factory and the Customer has been informed of this date.

4 Prices and conditions of payment

- 4.1 Prices put forth by Unex Dakota AG in its catalogues and price lists, its web site, or in its online shop are suggested prices and as such are not binding. The right to changes in price, the range of goods, and to products themselves is reserved at all times. Orders, including those made using the online ordering system, as well as orders and "order confirmations" of the CUSTOMER, are to be regarded as mere offers up to the time of CONTRACT CONCLUSION.
- 4.2 Prices first become binding when put forth in a concrete offer or in an order confirmation. Unless other arrangements have been made in the offer or the letter accompanying it, then offers, at the longest, are valid for 3 months from the date of issue. If the Customer orders fewer items than put forth in the offer, then the right is reserved to impose reduced quantity or other surcharges.
- 4.3 All Unex Dakota AG prices are net (excluding VAT) ex-factory at Unex Dakota AG, in Zurich, Switzerland ("ex works," in accordance with Incoterms 2010).
- 4.4 All costs associated with packaging, transport, insurance, public charges and fees (e.g. VAT, customs, export, passage in transit and other authorizations, etc.) are not included in prices and are to be borne by the Customer. If Unex Dakota AG advances these costs, they are to be reimbursed to it by the Customer.
- 4.6 If not agreed to otherwise, invoices are immediately due and to be paid by the Customer without any deductions. Unex Dakota AG retains the right to request partial or full advance payment. For private customers either prepayment by bank or PayPal applies.
- 4.7 Payment dates are also to be complied with if delivery, transport, pick-up or installation of the delivery is delayed or rendered impossible due to reasons for

which Unex Dakota AG is not responsible. The same applies if individual products are missing or defective.

- 4.8 If a customer has several outstanding accounts, then Unex Dakota AG is entitled, notwithstanding instructions of the Customer to the contrary, to first credit the oldest outstanding account (s).
- 4.9 The Customer acknowledges that the use of any claims against Unex Dakota AG for advance payments or payments for deliveries is excluded. Excepted herefrom are Customer claims that have been expressly acknowledged in writing for purpose of set-offs by Unex Dakota AG or through the final determination of a court of law.
- 4.10 Default interest of 8% p.a. is to be paid by the Customer in the case of late payments, even without the giving of advance notice thereof. Upon CUSTOMER'S default in payment Unex Dakota AG is entitled to have collection undertaken by a third party at the Customer's cost. Any objections concerning invoices are to be brought in writing within 14 calendar days of the receipt thereof, otherwise invoices are regarded as acknowledged.
- 4.11 Unex Dakota AG remains owner of the entire delivery until complete payment (including any ancillary costs and default payment interest). The buyer is not permitted to dispose of goods that are encumbered with reservation of ownership. In the case of attachment by third parties, especially by bailiffs, the buyer must give notice that Unex Dakota AG is the owner as well as promptly informing Unex Dakota AG thereof.

5 Notification of defects, warranty

- 5.1 The Customer, immediately after receipt of the products, is to carefully inspect them in regard to completeness (number of items), correctness (type), as well as for possible defects. Shipment with any transport damages are to be accepted subject to reservation and the relevant carrier is to be promptly notified for the purpose of establishing the facts of the case and the safeguarding of all rights.
- 5.2 Any quantity shortfalls, misdeliveries, and/or defects in the products delivered are to be promptly reported to Unex Dakota AG, however at the latest within 5 calendar days after delivery of the products to the Customer and/or its carrier at the plant of Unex Dakota AG. Such reports are to be in writing and precisely describe the ascertained discrepancies and/or defects. If such action has not been taken by the passing of this deadline (the receipt of this notification of defects by Unex Dakota AG is determinative) then the delivery is to be regarded as having been approved in regard to quantity shortfalls, misdeliveries, as well as apparent defects.
- 5.3 In regard to defects (so-called hidden defects) that cannot be detected even through careful inspection within the aforementioned inspection and notification deadline (Number 5.2), Unex Dakota AG issues a warranty for its products of 24 months from the time at which the delivery and/or partial delivery was made available by Unex Dakota AG for pick-up by the Customer and/or its carrier, the Customer having been informed of this date. The warranty is based on the intended use of the products within terms of their product specifications. The warranty for batteries is for one year as from the successful pick-up thereof and during this time period is limited to defects that can demonstrably be traced to flaws in materials, design, or construction on the part of Unex Dakota AG.
- 5.4 Any concealed defects are to be reported in detail and in writing to Unex Dakota AG within 5 days after their discovery. Upon the request of Unex Dakota AG the Customer is to place the product at the disposal thereof. The warranty covers defects that can demonstrably be traced to flawed manufacture, defective material, or the failure to comply with determinative and/or agreed-upon technical regulations (see Number 2 above).
- 5.5 Excluded from the warranty are instances of non-functioning or incorrect functioning that are due to use not in accordance with the provisions therefor, improper treatment or storage, failure to follow installation and operating instructions, manipulations undertaken on the product, insufficient maintenance, overloading or other excessive stress, damage caused by weather and other environmental factors, chemical electrolytic or electromagnetic influences, as well as interference by other products. In warranty cases Unex Dakota AG has a choice between replacing the defective product or parts thereof or granting the Customer a reduction in price. Any further liability of Unex Dakota AG or its auxiliary personnel is excluded to the extent permitted by law. In particular, neither the Customer nor third parties have claims to compensation for damages that were not incurred by the delivered product itself, such as programming, assembly, and installation costs, interruptions in production, loss of effectivity, lost profits or other direct or indirect damages and consequential harm caused by defects, namely direct as well as indirect damages to third parties that are caused through the incorrect functioning or non-functioning of the delivered product, etc. Likewise, there is no warranty for material upon which the CUSTOMER or third parties have made modifications or repairs or for which the assembly or operating instructions of the supplier were not complied with. Excluded from the guarantee are also lights and devices that were manufactured according to designs or models of the CUSTOMER, if the damages that arise are due to design errors. Moreover, if an examination or a modification of such material is requested by the Federal Heavy Current Inspectorate, then all costs resulting therefrom are to be borne by the CUSTOMER. With the exception of price reductions each guarantee requires that the defective material be packed and shipped postage paid to Unex Dakota AG. Please note the following information concerning the operational life of lights: the operational life of all lighting products depends on compliance with the standard operating conditions put forth in the technical data therefor. Lights are wear parts, for which the corresponding operational life varies greatly (1,000 to 60,000 hours) and can be greatly influenced by operating conditions. Information concerning the operational life of a light is undertaken in terms of operating hours (e.g. average operational life = 50,000 hours) and is ascertained under standardized conditions that may not be the same as those in practice. If the operational lifespan is given in terms of operating years, this is also based exclusively on assumed standard operating conditions (cycles of operation, ope-

rating hours per year, etc.) and the usual criteria for maintenance intervals that appear proper for the intended use. Threshold values for temperatures, an environmental temperature of 25°C and voltage may not be exceeded, the product may not be subjected to any mechanical or other stress that is not in accordance with the regulations therefor. The decline in luminous flux in the case of LED light sources is normal up to a value of 0.6 % per 1,000 operating hours and thereby not covered by the guarantee. Electronic equipment and/or parts such as LED modules have an average rated failure rate of 0.2%/1,000 operating hours, unless the average rated life and rated failure rate of the device or part are defined differently in the product and application specifications (especially according to the catalogue, specification sheet, product brochure, and the like). This applies subject to the conditions put forth below. Each warranty requires that the defective material be delivered prepaid to the address of the company Unex Dakota AG. The warranty only includes product failures that are demonstrably caused by material, design, or production flaws, as well as failure rates that exceed the rated failure rate. Unex Dakota AG reserves the right to make a decision concerning the legitimacy of a warranty claim after examining the product itself. The warranty is immediately cancelled if, without obtaining prior written consent by the guarantor, the Customer or a third party undertake modifications, repairs, service work, or troubleshooting on the product. The colour tolerance of LED modules is not included in the manufacturer's warranty. The luminous flux and the performance of a new LED module/light source is subject to a tolerance of +/- 10%. There can be discrepancies in the light characteristics in comparison to the original products in the case of subsequent deliveries of LED modules/light sources/lights due to technical progress as well as usage-related changes in the luminous flux and the light colour of products. Work undertaken under the warranty does not give rise to an extension of the warranty deadline or set a new warranty period into motion. The warranty period for parts that have been repaired/exchanged, or replacement deliveries, ends with the guarantee period for the entire product. Agreed-upon limitations of liability apply correspondingly for guarantee claims. A prerequisite for a warranty claim is that the lamps / strips and luminaires have been operated with the control gear specified, tested and supplied by Unex

- 5.6 If the Customer complains about a product that turns out to be free of defects, then Unex Dakota AG can bill the Customer for examination costs.

6 Planning and consultation by Unex Dakota AG

- 6.1 If Unex Dakota AG develops lighting concepts for a customer or consults with it in this regard, then this is to be regarded as a favour that involves no liability on the part of Unex Dakota AG. An exception hereto is compliance with concretely measurable requirements (e.g. illumination level), if Unex Dakota AG accepts corresponding liability therefor in writing in an individual instance.

7 Repairs requested by the Customer

- 7.1 If the Customer has Unex Dakota AG undertake product repairs that fall outside the applicable warranty provisions, then the Customer is to bear the corresponding costs, especially for expenses, materials, and transport.
- 7.2 If the Customer requests a cost estimate for such repairs, then Unex Dakota AG is to be informed thereof in advance. The Customer is to bear the costs of the cost estimate regardless of whether the repairs are undertaken or not.

8 Special duties of the Customer

- 8.1 The products may only be assembled, disassembled and serviced by trained, high-voltage current technicians (electricians). Attention: high voltage current involves risk of death!
- 8.2 The Customer is obligated to observe and comply with all general as well as determinative local regulations for the assembly/disassembly, the operation and the maintenance of products. Moreover, the Customer is obligated to observe and comply with the product-related instructions for assembly, service and maintenance provided by Unex Dakota AG.
- 8.3 If the Customer delivers products of Unex Dakota AG to third parties or has third parties install them, then it is to obligate these third parties in writing to comply with the regulations in accordance with Numbers 8.1 and 8.2 above and to ensure that the assembly, operation and maintenance instructions is made available to the third parties in an understandable fashion. Moreover, these third parties are to be obligated in writing to transfer the duty under this Number 8.3 to any further purchasers.
- 8.4 If personal, material or financial damages are caused by the actions and/or omissions of the Customer or one of its auxiliary personnel or its purchasers or subsequent purchasers, etc., and for this reason claims are brought against Unex Dakota AG, then it has a right of recourse against the Customer. The Customer is to completely indemnify Unex Dakota AG at the first request therefor and is also to reimburse it for the costs of defence against the claims.

9 Intellectual property

- 9.1 Intellectual property rights to all products (including know-how) belong exclusively to Unex Dakota AG and/or its suppliers, who are solely entitled to register any intellectual property rights (patents, designs, topographies, etc.). All copyrights to software and/or firmware, cost estimates, technical drawings, the design of products, to assembly, operation and maintenance instructions as well as to all other documents are the sole property of Unex Dakota AG and/or its suppliers.
- 9.2 Unless otherwise agreed to expressly and in writing, this rule also applies if Unex Dakota AG undertakes customized adaptations, suggestions, product sketches, or developments for a Customer. Such materials and documents of Unex Dakota AG cannot be copied in whole or in part or made available to third parties without its express approval.

- 9.3 If a Customer of Unex Dakota AG makes available documents/data (sketches, plans, measurements, models, etc.), then it ensures that these documents/data are free from third party property rights and that they may be used and if necessary processed in the context of the current project by Unex Dakota AG.

10 Applicable law, place of performance, jurisdiction

- 10.1 All legal relations between Unex Dakota AG and the Customer are subject to Swiss material law, to the exclusion of the UN Convention on Contracts for the International Sale of Goods (CISG) of 11 April, 1980.
- 10.2 Unex Dakota AG reserves the right to modify these AGBs. Modifications become effective at the time they are communicated to the CUSTOMER for all legal relationships established between Unex Dakota AG and the CUSTOMER after this time. Should one or more provisions of these AGBs prove to be void or invalid, this has no effect on the validity of the remaining provisions and on these AGBs as a whole.
- 10.3 The place of performance for all acts undertaken for contractual purposes is the Swiss headquarters of Unex Dakota AG.
- 10.4 For all controversies between the Customer and Unex Dakota AG the courts at the Swiss headquarters of Unex Dakota AG have exclusive jurisdiction. However, Unex Dakota AG remains entitled to bring actions against the Customer at any other permissible place of jurisdiction.

Index by name

A	
Accessories	240
Air LED exterior wall fixture IP44	187
Aluminium corner profile 45°	30
Aluminium corner profile 45° 30 x 30	31
Aluminium corner profile 45° 30 x 30 square	31
Aluminium H-profile	29
Aluminium mounting profile Design	24
Aluminium mounting profile Design 40 x 18 mm	27
Aluminium mounting profile Design 40 x 60 mm	27
Aluminium mounting profile Up & Down	33
Aluminium mounting profile Up & Down Mini	33
Aluminium profile 17.5 x 7.0 mm	13
Aluminium profile 18.0 x 19.0 mm	17
Aluminium profile 20.0 x 20.0 mm	19
Aluminium profile 20.0 x 8.5 mm	15
Aluminium profile 22.6 x 15.6 mm	16
Aluminium profile 22.6 x 8.5 mm	15
Aluminium profile 24.5 x 7.7 mm	14
Aluminium profile 30.0 x 18.0 mm	20
Aluminium profile 30.0 x 28.0 mm	19
Aluminium profile 30.0 x 18.0 mm	16
Aluminium profile 35.0 x 35.0 mm	21
Aluminium profile 54.0 x 70.0 mm	23
Aluminium profile 9.6 x 12.0 mm	12
Aluminium profile Linea	29
Aluminium profile round 16 mm	34
Aluminium profile round 26 mm	34
Aluminium profile round 60 mm	35
Aluminium profile with collar 17.5 x 7.0 mm	13
Aluminium profile with collar 18.0 x 19.0 mm	17
Aluminium profile with collar 35.0 x 35.0 mm	21
Aluminium profile with collar 55.0 x 35.0 mm	22
Aluminium Profiles	10
Aluminium profiles	240
Asimo floor lamp	159
Asimo LED wall light	155
B	
Bluetooth dimming actor	239
Bo LED wall light	151
C	
Cabinet and shelf lighting	166
Cable transparent	241
Canopy for profile pendant lamp	63
Ceiling mounting rings / lamps / sets	64
Cilindro LED ceiling mounted light	139
Cilindro LED Outdoor ceiling mounted light IP65	185
Classic LED wall lamp Up & Down	149
Cloud LED surface mounted light round	126
Cloud LED surface mounted light square	131
Concave ceiling recessed ring	67
Connection cable	241
Connection terminal	240
Controller for wireless pushbutton	237
D	
Dekor ceiling recessed ring	70
Delight LED ceiling light	134
Delight LED wire suspension set	137
Design ceiling recessed ring	71
Design profile light	57
Diamond LED surface mounted light	132
Dimmbox	228
Disc ceiling recessed ring	72
Display cabinets and furniture lighting	160
Distributor box IP67	241
E	
Eco LED Big recessed ceiling light	107
Eco LED Medium recessed ceiling light	105
Eco LED Medium square recessed ceiling light	109
Eco LED Small recessed ceiling light	104
Eco LED Small square recessed ceiling light	109
Eco LED Tiny recessed ceiling light	104
Eco LED Wallwasher Big	108
Eco LED Wallwasher Medium	108
Evida LED wall light round IP65	195
Evida LED wall light square IP65	195
Exit LED ceiling / wall light	224
Extension cable	241
Eye LED furniture light	161
F	
Fixture cable Tdf	241
Flat LED recessed ceiling light	119
Flatfix Supersim II recessed light	115
Flex ceiling recessed ring	69
Flex Double ceiling recessed ring	68
Flex II reading lamp	165
Flood light 10 - 30W IP65	209
Flood light Pro 25 - 100W IP65	211
G	
Ground-recessed lighting	212
GU10 socket	66
I	
Industrial and safety lighting	220
L	
L10 LED recessed ground light	219
L11 LED recessed ground light	219
L8 Medium recessed light IP65	199
L8 Mini recessed light IP65	199
L8 Rondo recessed light IP65	201
L9 recessed light IP65	201
Lift LED recessed ceiling light	95
Lim LED Bollard light IP55	181
Lim LED L wall light	153
Lim LED Outdoor Cube wall light IP55	181
Lim LED Outdoor wall light IP55	180
Lim LED wall light	153
Lima LED wall light	149
Liminaire terminal WAGO	240
Line LED 28W Batten luminaire	221
Line LED 38W Batten luminaire	221
LUV Cover recessed light IP65	197
LUV recessed light IP65	197
M	
Maxi LED recessed ground light	217
Medium LED Power unit	230
Medium Spot 3W	161
Mini LED earth spike light IP67	203
Mini LED Power unit	231
Mini LED Power unit On/Off	230
Mini LED recessed ground light	217
Mini Spot 3W	161
Mira II LED recessed ceiling light	99
Mira Wall LED recessed ceiling light	101
Miu LED wall light	151
Modern LED pendant light	141
Modul 8 Flat profile light	59
Modul 8 profile light	59
Moon LED Outdoor IP65	187
Mounting tape 3M double-sided	240
Multi constant current Dimmer	234
Multi LED power supply unit	233
N	
Nano LED earth spike light IP67	203
Nex Flex LED IP67	53
Noa LED wall / ceiling lamp IP44	156
O	
Outdoor lighting	174
Ova ceiling recessed ring	75
Ova Rondo ceiling recessed ring	75
P	
Polar LED Downlight	175
Power supply 24V dimmable	229
Power Supply Init 24V	226

Power supply units and controls	226
Power supply unit 24V connection cable	227
Power supply unit 24V with connection terminals	226
Power supply unit with 4-channel Dali dimmer	230
Profile lights	56
Proof LED 40W IP66	223
Proof LED 55W IP66	223
Punto 12V power supply	165
Punto door sensor	164
Punto Eye recessed furniture light	164
Punto Plus furniture mounted light	162
Punto recessed furniture light	162
Punto Square furniture mounted light	163
Punto Style Plus recessed furniture light	163
Punto Style recessed furniture light	163
Punto Touch dimmer	164
Pure LED recessed ceiling light 15W	113
Pure LED recessed ceiling light 21W	113
Pure LED recessed ceiling light 6W	112
Pure LED recessed ceiling light 8W	112
PWM dimming module	236
R	
Recessed-mounted ceiling lights	92
RGB / RGBW remote controller	236
RIDL 13	83
RIDL 13 Flat Downlight	98
RIDL 13 Set	91
RIDL 26W / 33W	102
RIDL 26W / 33W Accessories	103
RIDL 7 + RIDL 8 Safety glass	66
RIDL 7 GU10	77
RIDL 7 GU10 Set	84
RIDL 8	79
RIDL 8 CRI 95 GAI100	81
RIDL 8 Design Set	88
RIDL 8 Dim to Warm	81
RIDL 8 Flex Set	87
RIDL 8 Set	85
RIDL 9	82
RIDL 9 Flat Downlight	97
RIDL 9 Flat Set	97
RIDL 9 Set	89
RIDL ceiling recessed ring	66
RISP 13W Track light	143
RISP 25.5W Track light	144
RISP 33W Dali Track light	147
RISP 33W GAI 100 Track light	147
RISP 38W Track light	145
RISP 9W Track light	142
Rivo LED recessed ground light	215
Rivo LED recessed ground light	215
Rope suspension	240
S	
Saturn LED wall light IP54	177
Screw terminal 3P, IP68	240
Shelf downlights	170
Side profile light	61
Silicone adhesive sealant	241
Single LED ceiling mounted light	141
Smart furniture lighting	167
Smart furniture lighting set	167
SMD terminal strip	240
Solo ceiling recessed ring	74
Solo Duo ceiling recessed ring	74
Spike II Maxi earth spike light IP67	207
Spike II Medium earth spike light IP67	205
Spike II Medium surface-mounted light IP67	207
Spike II Mini earth spike light IP67	205
Square LED Bollard light IP54	179
Square LED wall light IP54	179
Store One ceiling recessed ring	73
Store Two ceiling recessed ring	73
Strips LED	38
Surface mounted ceiling lights	122
T	
Table top power supply unit 24V	226
Takeo LED recessed mounted light	116
Takeo LED recessed mounted light square	117
Takeo LED surface mounted light round	122
Takeo LED surface mounted light square	123
Takeo Outdoor round IP54	189
Takeo Outdoor square IP54	189
Tera LED wall light 14.4W IP65	193
Tera LED wall light 28.8W IP65	193
Tom LED Bollard light IP54	183
Tom LED Mini Bollard light IP54	183
Tom LED wall light IP54	183
Track lights	142
Trina LED wall light	151
Tunable White Wireless Controller	238
Turn LED wall light IP65	177
Twin LED ceiling mounted light	141
U	
Unex Flex 168	46
Unex Flex 600	41
Unex Flex 600 IP65	43
Unex Flex 600 Small	41
Unex Flex Back	39
Unex Flex Deco	39
Unex Flex High Efficiency	47
Unex Flex High-Power	45
Unex Flex High-Power 10m	45
Unex Flex High-Power IP65	46
Unex Flex RGB 60	49
Unex Flex RGB IP67	49
Unex Flex Side	43
Unex Flex Top RGB-bianco	51
Unex Flex Tunable White	51
Unex Flex Ultra Power	47
Up & Down Big LED wall light IP65	191
Up & Down LED wall light IP65	191
V	
Vario LED recessed ceiling light IP44	93
Vario LED recessed ceiling light tilttable	93
Venus LED round ceiling mounted light IP54	185
Venus LED square ceiling mounted light IP54	185
Via LED recessed ground light	213
W	
Wall lights recessed and surface mounted	148
Wireless pushbutton for 1 Zone	237
Wireless pushbutton for 2 Zones	237
Workplace, table and floor lamps	158
X	
X LED recessed wall light	157
Y	
Zenta II LED recessed ceiling light 13W	110
Zenta II LED recessed ceiling light 25W	111
Zenta II LED recessed ceiling light 34W	111
Zenta II LED recessed ceiling light 6W	110

Index according to article number

043-024-060	228	116-005-70	153	130-838-45	81	161-010-70	59	200-010-050	230	25817-037-40	101
043-024-100	228	116-030-96	187	130-838-70	79	161-011-70	59	200-010-080	230	25817-037-70	101
043-260-09	231	116-034-50	149	130-838-75	81	161-012-70	59	210-001-00	239	25817-038-40	101
043-350-12	231	116-035-70	180	130-838-80	81	161-013-70	59	23294-001-70	162	25817-038-70	101
043-350-18	230	116-036-70	180	130-840-70	79	161-014-70	59	23294-002-70	162	25817-039-40	139
043-350-20	230	116-039-71	181	130-841-40	83	161-015-70	59	23294-003-70	163	25817-039-70	139
043-500-04	232	116-040-50	151	130-841-70	83	161-016-70	59	23294-005-70	164	25817-039-99	139
043-500-12	231	116-041-98	151	130-842-40	83	161-017-70	59	23294-101-99	241	25817-040-40	139
043-500-20	230	116-042-52	181	130-842-70	83	161-018-70	59	23294-102-99	164	25817-040-70	139
043-700-04	232	116-043-96	180	130-843-20	82	161-019-70	59	23294-103-99	164	25817-040-99	139
043-700-20	230	116-045-70	180	130-843-40	82	161-020-70	61	23294-104-00	165	25817-041-71	143
043-700-22	230	116-046-52	180	130-843-70	82	161-021-70	61	23943-001-70	123	25817-041-98	143
043-700-42	230	116-047-70	151	130-844-20	82	161-022-70	61	23943-002-70	123	25817-042-40	144
043-900-42	230	116-048-70	181	130-844-40	82	161-023-70	61	23943-003-40	125	25817-042-45	144
		116-049-70	181	130-844-70	82	161-024-70	61	23943-003-70	125	25817-042-70	144
100-001-000	23	116-051-70	153	130-940-20	97	161-030-70	59	23943-004-40	125	25817-042-75	144
100-001-002	23	120-001-20	53	130-940-71	97	161-032-70	59	23943-004-70	125	25817-042-98	144
100-001-003	23	120-001-40	53	130-941-20	97	170-033-70	59	23943-005-70	122	25817-043-45	145
100-001-004	23	120-001-70	53	130-941-71	97	161-100-00	63	23943-006-70	122	25817-043-45	145
100-001-005	23	120-001-88	53	130-942-20	98	161-100-01	63	23943-007-40	122	25817-043-70	145
100-001-012	23	120-001-89	53	130-942-70	98	166-044-50	180	23943-007-70	122	25817-043-75	145
100-001-062	22	120-001-90	53	130-943.20	98	170-001-70	163	23943-008-40	123	25817-043-98	145
100-001-062	23	120-001-91	53	130-943-70	98	170-002-70	163	23943-008-70	123	25817-043-99	145
100-002-000	22	120-001-96	53	140-001-41	147	170-010-70	161	23943-010-70	117	25817-048-71	143
100-002-001	22	120-001-97	53	140-001-46	147	170-011-70	161	23943-011-70	117	25817-049-72	93
100-002-002	22	120-001-98	53	140-001-71	147	170-012-40	165	23943-012-70	117	25817-050-72	93
100-002-012	22	120-001-99	53	140-001-76	147	180-010-70	209	23943-016-70	116	25817-051-71	185
100-003-000	31	120-002-60	53	140-005-70	147	180-020-70	209	23943-075-70	112	25817-052-70	185
100-003-001	31	120-002-90	53	140-006-71	142	180-025-40	211	23943-100-70	112	25817-053-70	195
100-003-001	31	120-002-91	53	140-007-71	142	180-030-70	209	23943-100-71	112	25817-054-70	195
100-003-002	31	120-100-20	43	140-012-40	147	180-045-70	211	23943-155-70	113	25817-061-70	139
100-003-012	31	120-100-40	43	140-012-70	147	180-070-40	211	23943-155-71	113	25817-062-70	139
100-003-012	31	120-100-70	43	140-013-40	147	180-070-70	211	23943-215-70	113	25817-065-40	110
100-003-062	31	120-101-20	46	140-013-70	147	180-100-40	211	23943-215-71	113	25817-065-70	110
100-003-063	31	120-101-40	46	157-812-214	240	180-100-70	211	25716-001-99	236	25817-066-40	110
100-004-000	35	120-101-60	49	157-812-314	240	180-200-71	205	25716-002-99	236	25817-066-70	110
100-004-003	35	120-101-70	46	157-812-514	240	180-201-71	205	25716-003-99	237	25817-067-40	111
100-004-012	35	130-001-40	115	160-001-50	141	180-202-71	207	25716-004-99	237	25817-067-70	111
100-004-062	35	130-001-70	115	160-002-50	141	180-203-70	203	25716-005-99	237	25817-068-40	111
100-010-000	33	130-002-40	115	160-003-40	134	180-204-70	201	25716-006-99	238	25817-068-70	111
100-010-001	33	130-002-70	115	160-003-70	134	180-204-98	201	25716-007-99	238	25958-120-07	241
100-010-013	33	130-003-40	115	160-004-40	135	180-204-99	201	25798-060-01	229	26491-040-085	25
100-226-000	29	130-003-70	115	160-004-70	135	180-205-70	213	25817-001-70	197	26491-040-085	27
100-226-013	29	130-004-70	109	160-005-40	135	180-206-70	213	25817-001-99	197	26491-096-100	12
100-226-100	29	130-005-40	109	160-005-70	135	180-207-70	213	25817-001-99	197	26491-175-100	13
110-001-01	173	130-005-70	109	160-006-50	137	180-208-70	213	25817-002-70	197	26491-180-100	17
110-001-02	173	130-006-40	108	160-007-40	155	180-209-71	207	25817-003-70	199	26491-210-100	29
110-001-10	173	130-006-70	108	160-007-70	155	180-210-70	219	25817-003-99	199	26491-210-100	33
110-002-01	173	130-007-40	108	160-008-40	155	180-210-99	219	25817-004-70	199	26524-001-96	189
110-002-02	173	130-007-70	108	160-008-70	155	180-211-70	219	25817-004-99	199	26524-002-96	189
110-002-10	173	130-200-50	67	160-009-40	159	180-212-70	219	25817-005-70	201	26524-003-70	177
110-003-01	173	130-201-50	67	160-010-40	137	180-212-99	219	25817-005-99	201	26524-006-70	177
110-003-02	173	130-202-20	95	160-010-70	137	180-213-70	219	25817-016-70	187	26524-007-70	179
110-003-10	173	130-202-70	95	160-011-40	119	185-001-60	224	25817-018-70	215	26524-008-70	179
110-004-01	173	130-340-46	102	160-011-70	119	185-001-98	224	25817-018-99	215	26524-009-70	185
110-004-02	173	130-340-50	102	160-013-40	121	185-001-99	224	25817-019-70	215	26524-010-70	185
110-004-10	173	130-340-52	102	160-013-70	121	185-002-60	225	25817-019-99	215	26524-010-70	185
110-005-01	173	130-340-75	102	160-013-98	120	185-003-40	221	25817-020-50	75	26524-013-70	183
110-005-02	173	130-340-76	102	160-013-99	120	185-003-70	221	25817-021-72	93	26524-014-70	183
110-005-10	173	130-340-90	103	160-014-50	119	185-003-70	221	25817-022-72	93	26524-015-70	183
110-006-01	173	130-340-91	103	160-015-50	119	185-005-40	221	25817-023-70	193	27440-350-04	232
110-006-02	173	130-340-92	103	160-016-50	119	185-005-70	221	25817-024-70	193	27440-350-08	232
110-006-10	173	130-340-93	103	160-017-50	121	185-160-40	223	25817-027-40	104	27440-350-15	232
110-007-01	173	130-340-94	103	160-017-50	121	185-162-40	223	25817-027-70	104	27440-500-20	232
110-007-02	173	130-345-51	102	160-020-70	141			25817-028-40	105	27440-700-04	232
110-007-10	173	130-720-21	77	160-021-70	132	200-001-040	227	25817-028-70	105	290-001-00	240
110-008-01	173	130-720-71	77	160-022-70	132	200-001-060	227	25817-029-40	107	290-002-00	27
110-008-02	173	130-738-21	77	160-024-70	133	200-001-090	227	25817-029-70	107	290-101-00	241
110-008-10	173	130-738-71	77	160-025-70	133	200-001-120	227	25817-030-70	195	290-102-00	241
115-420-000	33	130-738-21	77	160-027-70	133	200-002-150	227	25817-031-70	195	290-103-00	241
115-420-012	33	130-740-71	77	160-028-70	133	200-002-240	227	25817-032-50	75	290-900-210	241
115-420-100	33	130-820-20	79	161-001-70	57	200-003-050	229	25817-034-40	104	29634-000-00	240
116-001-50	151	130-820-70	79	161-002-70	57	200-003-100	229	25817-034-70	104		
116-004-70	153	130-838-20	79	161-003-70	57	200-003-200	229	25817-035-71	99	30246-001-71	126
		130-838-40	79	161-004-70	57	200-005-060	228	25817-036-71	99	30246-002-40	129

30246-002-70	129	411-180-062	17	936-026-063	14	DL/24V-NW-3UP1	47	UD-120-028-270	84	UD-125-808-293	89
30246-003-70	130	411-180-063	17	936-026-063	34	DL/24V-NW-400	39	UD-120-029-219	84	UD-125-809-263	89
30246-004-70	131	411-180-063	17	936-026-083	14	DL/24V-NW-601	41	UD-120-030-293	84	UD-125-810-250	89
30246-005-70	127	411-210-062	29	936-026-083	34	DL/24V-NW-610	41	UD-120-031-263	84	UD-125-811-270	89
30246-010-70	131	411-210-063	29	936-026-110	34	DL/24V-NW-620	43	UD-120-032-250	84	UD-125-812-219	89
30246-020-70	129	411-210-064	29	936-040-000	14	DL/24V-NW-720	39	UD-120-033-270	84	UD-125-813-293	89
30246-021-70	129	411-210-065	29	936-040-002	27	DL/24V-RGB-300	49	UD-120-034-219	84	UD-125-814-263	89
30246-022-70	129	411-226-062	15	936-040-014	25	DL/24V-RGB-RW	51	UD-120-035-293	84	UD-125-815-250	89
30246-030-70	127	411-226-062	16	936-040-024	27	DL/24V-RGB-W	51	UD-120-036-263	84	UD-125-816-270	89
30246-031-70	127	411-226-062	33	936-040-034	27	DL/24V-RGB-WWW	51	UD-120-037-250	84	UD-125-817-219	89
30285-000-00	240	411-226-063	15	936-040-065	25	DL/24V-RW-128	47	UD-120-038-270	84	UD-125-818-293	89
3471-000-00	240	411-226-063	16	936-040-065	27	DL/24V-RW-12890	47	UD-120-039-219	84	UD-125-819-263	89
3471-000-40	240	411-226-063	29	936-040-074	25	DL/24V-RW-168	46	UD-120-040-293	84	UD-125-820-250	89
359-045-012	30	411-226-063	33	936-040-074	27	DL/24V-RW-3HP1	45	UD-120-041-263	84	UD-125-821-270	89
359-045-013	30	411-330-062	20	936-040-075	25	DL/24V-RW-3HP10	45	UD-120-042-250	84	UD-125-902-219	89
359-050-01	169	411-330-063	20	936-040-075	27	DL/24V-RW-3HP90	45	UD-120-043-270	84	UD-125-903-293	89
359-050-02	169	411-350-062	21	936-040-080	14	DL/24V-RW-3UP1	47	UD-120-049-119	85	UD-125-904-263	89
359-050-03	169	411-350-062	21	936-040-094	25	DL/24V-RW-400	39	UD-120-050-193	85	UD-125-905-250	89
359-096-012	12	411-350-063	21	936-040-095	25	DL/24V-RW-601	41	UD-120-051-163	85	UD-125-906-270	89
359-096-013	12	411-350-063	21	936-040-100	14	DL/24V-RW-610	41	UD-120-052-150	85	UD-125-907-219	89
359-100-01	169	4401-040-084	25	936-200-000	15	DL/24V-RW-620	43	UD-120-053-170	85	UD-125-908-293	89
359-100-02	169	4401-040-084	27	936-200-012	15	DL/24V-RW-720	39	UD-120-054-119	85	UD-125-909-263	89
359-100-03	169			936-200-013	15	DL/24V-RW85-600	41	UD-120-055-193	85	UD-125-910-250	89
359-150-01	169	550-094-50	236	936-200-100	15	DL/24V-RW85-690	41	UD-120-056-163	85	UD-125-911-270	89
359-150-02	169	556-020-50	234	936-202-000	19	DL/24V-W-3HP1	45	UD-120-057-150	85	UD-125-912-219	89
359-150-03	169	556-050-50	234	936-202-013	19	DL/24V-WWW-128	47	UD-120-058-170	85	UD-125-913-293	89
359-175-012	13			936-202-052	15	DL/24V-WWW-12890	47	UD-120-069-119	85	UD-125-914-263	89
359-175-013	13	660-011-99	217	936-202-053	15	DL/24V-WWW-168	46	UD-120-070-193	85	UD-125-915-250	89
359-175-022	13	660-012-99	217	936-202-053	19	DL/24V-WWW-3HP1	45	UD-120-071-163	85	UD-125-916-270	89
359-175-023	13	660-111-70	217	936-202-062	15	DL/24V-WWW-3HP10	45	UD-120-072-150	85	UD-125-917-219	89
359-180-012	17	660-112-70	217	936-202-063	15	DL/24V-WWW-3HP90	45	UD-120-073-170	85	UD-125-918-293	89
359-180-013	17	660-113-70	203	936-202-063	19	DL/24V-WWW-3UP1	47	UD-120-074-119	85	UD-125-919-263	89
359-180-022	17	6682-040-120	25	936-202-063	29	DL/24V-WWW-400	39	UD-120-075-193	85	UD-125-920-250	89
359-180-023	17	6682-040-121	25	936-202-100	19	DL/24V-WWW-601	41	UD-120-076-163	85	UD-125-921-270	89
359-200-01	169	6682-040-122	25	936-318-000	16	DL/24V-WWW-610	41	UD-120-077-150	85	UD-126-001-151	97
359-200-02	169	6682-040-123	25	936-318-013	16	DL/24V-WWW-620	43	UD-120-078-170	85	UD-126-002-151	97
359-200-03	169	6682-040-124	27	936-318-063	16	DL/24V-WWW-720	39	UD-123-009-193	87	UD-126-003-151	97
359-210-012	29	6682-040-125	27	936-318-063	19	DL/24V-WWW85-600	41	UD-123-010-150	87	UD-126-004-151	97
359-210-013	29	6682-040-126	27	936-318-100	16	DL/24V-WWW85-690	41	UD-123-011-293	87	UD-126-005-151	97
359-226-012	15	6682-096-000	12	936-328-000	19			UD-123-012-250	87	UD-126-006-151	97
359-226-013	15			936-328-013	19	EM-119-016-109	241	UD-123-013-193	87	UD-126-007-150	97
359-228-012	16	9321-001-98	69	936-328-100	19	FG-550-092-110	236	UD-123-014-150	87	UD-126-008-150	97
359-228-013	16	9321-002-50	69	936-350-200	21	HT-508-329	157	UD-123-015-293	87	UD-126-009-150	97
359-250-01	169	9321-003-98	69	960-045-000	30	M-990-2	240	UD-123-016-250	87	UD-126-010-150	97
359-250-02	169	9321-004-50	69	960-045-100	30	MW-LCM-40D	234	UD-123-025-193	87	UD-126-011-150	97
359-330-012	20	9321-005-98	157	960-175-000	13	MW-LCM-60D	234	UD-123-026-150	87	UD-126-012-150	97
359-330-013	20	9321-006-99	157	960-175-001	13	MW-TNG-60-24	226	UD-123-027-293	87	UD-127-802-119	91
359-350-012	21	9321-008-70	161	960-180-000	17	NTL-05011-I2	233	UD-123-028-250	87	UD-127-803-193	91
359-350-013	21	9321-009-50	71	960-180-001	17	NTL-05016-CI	233	UD-123-029-193	87	UD-127-804-163	91
359-350-022	21	9321-010-50	71	960-210-000	29	NTL-4133DIMMBOX	228	UD-123-030-150	87	UD-127-805-150	91
359-350-023	21	9321-011-99	66	960-210-002	29	NTL-4163-LT100	228	UD-123-031-293	87	UD-127-806-170	91
		9321-013-70	149	960-226-000	15	OP-9907799	241	UD-123-032-250	87	UD-127-807-119	91
411-096-062	12	9321-014-98	72	960-226-100	15	OS-20W-24V-M1	226	UD-124-001-150	88	UD-127-808-193	91
411-096-063	12	9321-015-98	72	960-228-000	16	OS-R8540-1024V	233	UD-124-002-250	88	UD-127-809-163	91
411-175-052	13	9321-016-00	191	960-228-100	16	PS-V24-W24-X2	226	UD-124-003-150	88	UD-127-810-150	91
411-175-052	13	9321-017-00	191	960-330-000	20	RI-111-172-99	74	UD-124-004-250	88	UD-127-811-170	91
411-175-052	30	9321-018-98	70	960-350-000	21	RI-111-173-99	74	UD-124-005-150	88	UD-127-812-119	91
411-175-053	13	9321-019-98	70	960-350-001	21	RI-111-907-99	66	UD-124-006-250	88	UD-127-813-193	91
411-175-053	13	9321-020-98	73	960-350-200	21	RI-111-909-99	241	UD-124-007-150	88	UD-127-814-163	91
411-175-053	30	9321-021-98	73			RI-EBR-CH	66	UD-124-008-250	88	UD-127-815-150	91
411-175-062	13	9321-022-98	68	CI-592-512-000	240	RI-EBR-GB	66	UD-124-009-150	88	UD-127-816-170	91
411-175-062	13	9326-005-70	156	CI-595-219-000	240	RI-EBR-SI	66	UD-124-010-250	88	UD-127-817-119	91
411-175-062	30	936-016-000	34			RI-EBR-SW	66	UD-124-011-150	88	UD-127-818-193	91
411-175-063	13	936-016-013	34	DL/24V-AW-3HP1	45	RI-EBR-WS	66	UD-124-012-250	88	UD-127-819-163	91
411-175-063	13	936-016-063	34	DL/24V-AW-3HP10	45	SE-T20W-24V	227	UD-124-013-150	88	UD-127-820-150	91
411-175-063	30	936-016-083	34	DL/24V-AW85-600	41	SE-T30W-24V	227	UD-124-014-250	88	UD-127-821-170	91
411-175-082	13	936-016-100	34	DL/24V-AW85-690	41	SE-T30W-24VFG	227	UD-124-015-150	88	UD-180-216-70	175
411-175-082	13	936-016-110	34	DL/24V-CCT-240	51	UD-043-100-00	220	UD-124-016-250	88	UD-180-217-70	175
411-175-082	30	936-026-000	34	DL/24V-LW85-600	41	UD-043-101-00	220	UD-125-802-219	89	WA-SMD-1P-0401	240
411-175-083	13	936-026-013	34	DL/24V-NW-128	47	UD-043-102-00	220	UD-125-803-293	89	WA-SMD-2P-0402	240
411-175-083	13	936-026-033	14	DL/24V-NW-12890	47	UD-120-024-219	84	UD-125-804-263	89		
411-175-083	30	936-026-033	34	DL/24V-NW-168	46	UD-120-025-293	84	UD-125-805-250	89		
411-175-163	33	936-026-053	14	DL/24V-NW-3HP1	45	UD-120-026-263	84	UD-125-806-270	89		
411-180-062	17	936-026-053	34	DL/24V-NW-3HP10	45	UD-120-027-250	84	UD-125-807-219	89		



Our terms apply to all orders terms and conditions. These can be on our Web site (www.unexled.com) are available for download

Our opening hours:

Office

Monday - Friday: 7:00 am - 12:00 pm and 1:00 pm - 5:00 pm


LED Showroom:

Monday - Friday: 7:00 am - 12:00 pm and 1:00 pm - 5:00 pm

Store pickup:

Monday - Friday: 7:30 am - 12:00 pm and 1:00 pm - 4:30 pm

How to find us:





unexLED.com
LED-LÖSUNGEN, BERATUNG UND PRODUKTE

UNEX DAKOTA AG +41 44 404 22 22
Flüelastrasse 12 www.unexled.com
CH-8048 Zürich info@unexled.com